

Insulated Side Hinged Garage Doors



GLIDEROL
GARAGE DOORS



Style, Quality
& Great Value





Insulated Side Hinged Garage Doors

UK ISO
CA 9001

All Gliderol Doors products are UKCA marked and built within our audited ISO 9001 quality systems

Gliderol's new range of insulated side hinged garage doors is proudly designed and built at our UK production facility.

Every detail has been carefully considered and designed to make a stand-out door. We form complete door panels at our factory for perfect looks, proportions and performance, inside and out.

Dual steel skins bonded to a thermal core create 20mm thick insulated panels. Panels are mounted in specially extruded aluminium surrounds and completed with an aluminium frame. All components are precision machined for the ideal combination of high-grade engineering, great performance and stunning good looks.

UKCA marked and manufactured under our ISO 9001 quality systems, you can be sure of safety, reliability and quality.

Explore the range of elegant door designs, clever features and custom options here!



U-Value
2.8 w/m²K

At 2.8 (based on a 2250mm x 2040mm door), the Gliderol insulated door compares favourably to some types of double-glazed windows.




As standard, every door has a robust handle, latch and deadlock with an adjustable keep for precise latching and an internal thumb turn for effortless operation.



Double seals to the door leaf and frame help protect against the weather and limit dust and debris entering your garage.



A gasket between the door leaf frame and insulated panel further helps seal the door against the elements.



The colour matched hinges are adjustable in 3 directions, allowing for easy alignment of the leaves, should it be required.



Concealed shoot bolts at the top and bottom of the inactive leaf hold the door securely in place. The adjustable keeps allow for easy alignment of the leaf position for a precise fit.



For an added level of security, 3-point locking with twin hook locks, is available as an option.



Stainless steel pull handles are a sleek alternative to the standard lever handle and are supplied with a ball catch and deadlock.



Horizontal Wide Rib



Horizontal Medium Rib



Vertical Wide Rib



Vertical Medium Rib



Solid with 1500mm pull bars (1200mm also available)



Solid shown closed



Doors have a very neat, flat inner face, free from joints.



The paint finish is a highly-durable powdercoat ripple texture that gives an attractive finish with excellent resilience.

Doors are available in a classic ripple-textured finish in the solid colours shown below:

Colour Options

Signal White RAL9003	Grey White RAL9002	Pebble Grey RAL7032	Dusty Grey RAL7037
Traffic Grey RAL7042	Light Grey RAL7035	Window Grey RAL7040	Silver Grey RAL7001
Iron Grey RAL7011	Slate Grey RAL7015	Graphite Grey RAL7024	Anthracite Grey RAL7016
Black Grey RAL7021	Jet Black RAL9005	Steel Blue RAL5011	Cobalt Blue RAL5013
Gentian Blue RAL5010	Signal Blue RAL5005	Light Blue RAL5012	Moss Green RAL6005
Chartwell Green BS 14 C 35	Ruby Red RAL3003	Traffic Red RAL3020	Chocolate Brown RAL8017
Clay Brown RAL8003	Mahogany Brown RAL8016	Light Ivory RAL1015	Cream RAL9001

Handle Finish Options

Doors have a Chrome handle as standard and are also available with the finish options shown below:



Chrome


Brass Black White



Aluminium Brushed Stainless Steel


Price List June 2023

STYLES



All prices Exclude VAT & Delivery

Overall size includes frame
Made to Measure - Next size up



STANDARD SIZES

Width x Height (mm x mm)	Width up to:	1500	1800	2100	2150	2250	2300	2400	2500	2600	2750
Height up to:											
2040mm	White	1261	1513	1765	1807	1891	1933	2017	2101	2185	2311
	Standard Colour Options	1377	1653	1927	1973	2065	2111	2203	2295	2386	2524
2250mm	White	1390	1668	1946	1993	2085	2132	2244	2317	2410	2549
	Standard Colour Options	1518	1822	2126	2176	2278	2328	2430	2531	2632	2784
2350mm	White	1452	1742	2033	2081	2178	2226	2323	2420	2517	2662
	Standard Colour Options	1586	1903	2220	2273	2379	2432	2538	2643	2749	2908

OPTIONS

Roller ball locking and pull bars add:

1200mm	£300
1500mm	£345

Door Holders £63

3 point Locking
Minimum height over-frame 2000mm £300

Open Inwards £200

Handle finish options (Chrome standard)

Brass	£50
White	£40
Black	£40
Aluminium	£50
Brushed Stainless Steel	£50

WARRANTY

In the unlikely event of a warranty claim, please contact the dealer that installed your garage door and supply them with details of the serial number on the side or back of the garage door.

Your dealer will supply further details of the claim along with proof of purchase to the warranty department at Gliderol Doors.

Warranty

In the unlikely event of a warranty claim, please contact the dealer that installed your garage door and supply them with details of the serial number on the side or back of the garage door.

Your dealer will supply further details of the claim along with proof of purchase to the warranty department at Gliderol Doors.

Warranty period

A warranty covering the safe and reliable operation of the Gliderol Doors garage door for a period of 5 years from the date of purchase is given to the original purchaser, this warranty is for help and advice on the safety and reliability of the product and identifying parts and consumables in the event of a failure.

Product Guarantee

The standard guarantee of 2 years is given to the holder of the product that covers all parts and the panel providing the serial number is readable, intact and in place. Factory applied paint finishes are 2 years on steel doors that have standard colours applied, special nonstandard colours are excluded.

The product is given a 2-year warranty for the following item – hinges and locking for

normal use whereby normal use consists of no more than 5 operations (open/ close) per day. We recommend the product is inspected and serviced annually by a competent engineer from the garage door industry, the warranty for parts replaced by an engineer or for supply only is 6 months or for the remainder of the warranty period. If warranty work is carried out the product guarantee does not extend past the anniversary of installation / supply date.

Requirements

Warranties are valid in the UK only for European countries contact your dealer.

The product must have been purchased through one of our authorised partners and a serial number and receipt of purchase provided.

The warranty only covers damage to the garage door in the unlikely event of a failure, no surrounding items are covered.

Performance

During the warranty period we will rectify defects to the Gliderol product that can be proved to be material or manufacturing faults. At our discretion we will either exchange; repair or reduce the price. We will not accept any costs for dismantling; installation or delivery.

Warranty exclusions.

Improper transport; fitting and adjustment. Repairs by non-qualified or non-competent individuals.

External influences such as fire, water, alkaline solutions, acid, bird droppings or abnormal atmospheric pollution.

The use of non-Gliderol Doors parts without the approval of the manufacturer.

Damage caused in general use after delivery.

Powder coated doors give an outstanding finish compared to hand painted doors however they can be scratched or chipped by everyday use, refer to the internal label for care and maintenance of your door, The paint finish is cosmetic and the front panel should be uniform when viewed from 3 meters distance, we offer a 2 year warranty against paint failure, minor blemishes in the finish are inevitable. The rear of the door will not enjoy such a uniform finish by its nature and will have a different level of coating due to the manufacturing process however this does not affect the performance of the product and all doors are supplied galvanized and Painted or galvanized only giving outstanding external use.

Doors fitted within 250m of the coast line (where the beach ends and the land begins) and inland estuary are exempt from the paint finish warranty and we recommend a GRP Composite material.

Additional information.

It is a fundamental condition of this guarantee that the product has been installed, maintained, cleaned and serviced correctly and is used solely for which it was designed.

Incorrect installation, maintenance and service will invalidate the warranty.

The door must be kept in a clean condition and free from impact damage, any areas of paint damage must be dressed with touch up paint as soon as possible.



Gliderol Garage Doors,
Kitching Road, North West Industrial Estate,
Peterlee SR8 2HP

Tel: 0800 834 250
e-mail: sales@gliderol.co.uk
web: www.gliderol.co.uk

Gliderol Doors reserves the right to alter specifications to design and manufacture without notification. All specifications are correct at time of publication, errors and omissions excepted. Colour samples are, due to the print process, intended as a guide only, please request a sample if unsure. JUNE 2023