

**SeceuroGlide**  
Roller Garage Doors




**somfy**



7 YR WARRANTY

# Maximise your garage's potential with SeceuroGlide Roller Garage Doors

[www.seceuroglide.co.uk](http://www.seceuroglide.co.uk)



Scan to see what suits your home!



A Smart Way of Living, with Somfy home automation.

# Your home deserves the very best.

Turn your garage into one of your home's best features with a SeceuroGlide Roller Garage Door.

Often occupying a large percentage of the front of your home, your garage is one of the most prominent features and is sure to have a big impact on your property's overall kerb-appeal. Choosing a bespoke, made-to-measure garage door from the SeceuroGlide range gives you the freedom to design your perfect door.



**Made in the UK**  
For over 35 years



**Safety as standard**  
Keeping you and your family safe



**Quality that lasts**  
Guaranteed for up to 7 years\*



**Smooth electric operation**  
With 2 convenient handsets



**Superior security**  
With police & insurance approved doors available



**Space-saving designs**  
Park just millimetres from your door



**Strong insulated slats**  
For heat retention and noise reduction



**Contemporary good looks**  
With a stunning range of colours to choose from

**Rated Excellent**  
★ Trustpilot


*"I am blown away by the quality of my new door. It far exceeds my expectations and is a joy to use."*

# SeceuroGlide represents the most secure garage door, ensuring you, your family and possessions are safe.

By choosing a SeceuroGlide Roller Garage Door, you are investing in the most secure garage door that will last for years to come.

## SbD & LPCB

- Secured by Design approved - the official UK Police preferred specification
- Can reduce car crime by up to 50% and criminal damage by 25%
- LPCB is the UK's leading independent certification body
- Endorsed by the Association of British Insurers and the Association of Chief Police Officers
- Accredited to ISO9001 & 14001



Engineered for maximum security.

### Unique Locking System

Auto-locking on the Original and Excel prevents the door from being lifted by an intruder.



Unique Locking System

### Steel End Plates

Galvanised Steel end plates provide greater strength and increased security.



Steel End Plate

### Upgraded Axle

A 100 mm fluted axle provides greater rigidity.

### Extruded Attachment System

Unrivalled axle attachments and a metal top rail ensure secure, reliable locking.



Strength & Security

### Excel Locking Bottom Slat

Prevents the door from being pushed out of the guides by an intruder.

### Unique Webbing System

Holds the slats securely in place and ensures smooth, ultra-quiet operation.

### Built-in Alarm

An 105dB alarm automatically activates in the event of an attempted break-in.



Locking Bottom Slat

### Vacation Mode

Prevents an intruder operating the door from inside the garage.

# Effortless opening at the touch of a button.

Enjoy the simplicity of smooth automation and the convenience of being able to park millimetres from your garage door.

**somfy**   7 YR WARRANTY

## Smooth Automation

Powered with a reliable and powerful Somfy motor, the SeceuroGlide range of garage doors add a dose of luxury to your daily routine. Supplied with two stylish Keygo remotes plus a range of optional accessories including a wireless keypad for external access without compromising on security.



### Rollixo Control Unit

The fully CE or UKCA compliant Rollixo control unit from Somfy comes complete with built-in anti-entrapment and magnet as standard, plus multiple safety features. With a frequency of 433MHz, the unit uses radio technology to receive instructions from any of the Somfy range of controllers.

# Smooth Automation

## Key Features



Ultra-Quiet Webbing System



Somfy Rollixo

# Enjoy an easier life with **SeceuroGlide & Somfy.**

Operate your garage door, motorised blinds, gates, awnings and lights at anytime, from anywhere, all in one place.

## Easy Home Automation

The TaHoma Switch is a fully integrated Smart Home system, enabling you to take full control of your home at the touch of a button, via the app or by voice control.

## Enhanced Home Security

The TaHoma Switch provides real-time information on the status of your home, ensuring security, greater energy efficiency and enhanced comfort every day. Add an indoor or outdoor camera for the complete security package – and the convenience of secure access for delivery drivers.



## Key Features

- Control your home from anywhere
- Control everything from one place with the Somfy app
- Customise each button to create you own personalised scenarios
- Can be installed anywhere in your home thanks to WiFi connectivity


# Safety features for your peace of mind.

Garage doors are possibly the largest and heaviest movable object on your property. Protect your family with SeceuroGlide's safety features.



## Fully CE or UKCA Marked

Every SeceuroGlide door is CE or UKCA marked and provided with a declaration of conformity to ensure compliance with The Machinery Directive.



## Object Detection

The optical safety edge built into the weather seal on the bottom of the door automatically stops and reopens the door if it comes into contact with a person or object, giving you peace of mind protection for your family and valuables.



## Anti-Entrapment

For ultimate peace-of-mind, SeceuroGlide garage doors feature an exclusive anti-fallback feature which prevents the door from falling in the event of product failure.



# Our most **SECURE** Garage Door

The first garage door tested and approved to police and insurance standards.

For security without compromise, look no further than the SeceuroGlide Excel. In addition to the Secured by Design accreditation, the Excel also meets the higher specification set by the LPCB to create the most advanced roller door on the market. If proven protection for your car and home is a priority, there is no better choice.

- Police preferred specification
- Tested to issue 7 of the LPS 1175 burglary resistance standard
- LPCB approved even when fitted within the opening
- Exclusive high-security locking system
- Quiet running with innovative webbing system
- Steel end plates and fluted axle for greater strength



Steel End Plate



Weatherseal & Locking Bottom Slat




Strength & Security



Enhanced Security plus Noise Reduction



Insulated Slats



Unique Locking System

## Our best-selling roller garage door.

Since its launch in 1997 as the first insulated roller garage door, the SeceuroGlide Original continues to be our most popular garage door, delivering the very best in quality, durability and security.

With estimated sales of 175,000 doors across the UK, the SeceuroGlide Original has maintained its position as market leader through continuous development and innovation.

With the added accreditation of the Police Preferred standard of Secured By Design (SbD) when internally face fitted, you can rest easy knowing that the belongings in your garage are secure. This accreditation involves replicating an opportunist break-in with a stealth attack on the door.

- Exclusive high-security locking system
- Quiet running with innovative webbing system
- Steel end plates and fluted axle for greater strength



# Innovative Security

# Our Range of SeceuroGlide Roller Garage Doors.

Each door\* is supplied with a Rollixo control unit and lots of extras supplied as standard, including two Keygo remote controls, a built-in alarm, an optical safety edge and an internal manual override. Aside from a couple of other additional features, the only thing left to decide is which colour most suits your style (and there's hundreds to choose from!)

*\*Excludes SeceuroGlide Manual*



 **SeceuroGlide | Manual**  
Insulated Roller Garage Doors

The manually operated roller garage door.

- Ideal for garages without electricity
- Smooth manual operation
- Multiple handling points for operation
- Spans widths of up to 3000 mm
- Maximum height of 2300 mm
- Headroom required: 300 mm
- Exclusive high-security locking system
- Quiet running with innovative webbing system
- Steel end plates for added strength



 **SeceuroGlide | Compact**  
Low Headroom, Insulated Garage Door

The space-saving roller garage door.

- Designed for garages with limited space above the opening
- Requires just 205 mm of headroom
- Compact, insulated slat
- Up to 7-year automation warranty
- Spans widths of up to 3000 mm
- Maximum height of 2150 mm
- Half box supplied as standard
- Optional full box available
- Steel end plates for added strength



 **SeceuroGlide | LT**  
Standard, Insulated Garage Door

The economical roller garage door.

- 5-year motor warranty
- Spans widths of up to 4800 mm
- Maximum height of 2500 mm
- Headroom required: 300 mm
- Available with an optional half or full box
- Aluminium end plates





**SecuroGlide | Original**  
Secure, Insulated Garage Doors

**The original, insulated roller garage door.**

- Police preferred specification (Secured by Design as standard)
- Up to 7-year automation warranty
- Spans widths of up to 5400 mm
- Maximum height of 3500 mm
- Headroom required: 300 mm / 350 mm
- Exclusive high-security locking system
- Quiet running with innovative webbing system
- Available with an optional half of full box
- Steel end plates and fluted axle for greater strength



**SecuroGlide | Excel**  
High Security, Insulated Garage Doors

**Our most secure garage door.**

- Added protection for garages
- Police preferred specification
- Tested to issue 7 of the LPS 1175 burglary resistance standard
- Up to 7-year automation warranty
- Spans widths of up to 5200 mm
- Maximum height of 3500 mm
- Headroom required: 300 mm / 350 mm
- Exclusive high-security locking system
- Quiet running with innovative webbing system
- Available with an optional half or full box
- Steel end plates and fluted axle for greater strength



**SecuroGlide | Vertico**  
Secure, Vertical, Insulated Garage Doors

**Lateral opening garage door for easy access.**

- A unique, stylish alternative to roller garage doors
- High-strength vertical profile
- Offers partial opening for easy access and minimal heat loss
- Minimal headroom required
- Maximum opening width of 5620 mm
- Maximum height of 3000 mm
- Available as Bi-Parting doors effectively doubling the opening maximum width up to 11.2 m



# A Perfect Finish

SeceuroGlide slats are constructed using a twin-walled aluminium profile, with a foam-filled insulating core. The large choice of durable colours and finishes provide contemporary good-looks for every style conscious homeowner and require minimal maintenance – perfect for busy lifestyles.

## Standard Colours YR



Black (RAL 9005)



Graphite†/††




Anthracite (RAL 7016)




Slate Grey† (RAL 7015)

NEW



Silver Metallic (RAL 9006)



Light Grey (Agate Grey) (RAL 7038)



White (RAL 9016)



Cream White (RAL 9001)

NEW



Light Beige (BS 08B17)



Ivory (RAL 1015)



Brown (RAL 8014)



Dark Brown (RAL 8019)

NEW




Fir Green (RAL 6009)




Moss Green (RAL 6005)

NEW



Chartwell Green††



Duck Egg Blue††



Navy Blue (RAL 5011)



Burgundy (RAL 3004)



Looking for something special?

Choose from over 40 other foiled wood effect finishes or let us match your door to any RAL or BS number.

 10 YR

## Painted Woodgrains YR



Golden Oak †



Irish Oak†/†††




Rosewood †

Matching woodgrain boxes and guides available on the Original and Excel!†††

## Foiled Woodgrains YR



Irish Oak †



Anthracite†



Rosewood



Mahogany



Black/Brown†




Golden Oak



White†

† These colours on the right are not available on SeceuroGlide Compact. †† These are SeceuroGlide colours and do not match a BS or RAL colour. ††† Woodgrain boxes not available with Irish Oak. Boxes are supplied powder coated to match. Foiled Woodgrains and Painted Woodgrains are not available on the SeceuroGlide Manual. Not all colours are available on SeceuroGlide Vertico. Visit [www.seceuroglide.co.uk](http://www.seceuroglide.co.uk) for details.

# Important information.



## Fitting information.

### Headroom & Fitting Requirements

SeceuroGlide Original and SeceuroGlide Excel require a minimum of 300 mm headroom for doors up to 2500 mm in opening height and 350 mm headroom for doors up to 3500 mm in opening height. SeceuroGlide Manual requires a minimum headroom of 300 mm. SeceuroGlide Compact requires just 205 mm headroom for doors with an opening height up to 2150 mm.

### External Doors

In applications where the door is installed externally the remote control system must be installed either inside the garage or in a waterproof box (not included). The Bottom Slat Transmitter must always be installed on the internal face of the door and is not suitable for applications where it will be exposed to weather or excessive moisture due to condensation. A higher IP rated Bottom Slat Transmitter is available at a surcharge.

### Product Restrictions

SeceuroGlide Excel is not available as supply only as it must be fitted by a trained installer. SeceuroGlide Excel doors must always be internally fitted. If the coil needs to be fitted within the opening then an upgraded version of the end plate is available for a surcharge. The low level external override option is not available for SeceuroGlide Excel. All SeceuroGlide Excel doors are supplied with 90 mm guide rails. SeceuroGlide Manual can only be fitted internally and is not available with a hood or fascia.

## Important information.

### Extreme Weather Conditions

- High winds and high temperatures on double doors can cause increased deflection of the door. It is the installer's responsibility to ensure that the door is spaced off the wall sufficiently to allow for door movement during these extreme weather conditions.
- Darker coloured double doors that are exposed to significant direct sunlight may be susceptible to expansion which may interfere with the operation of the door.
- If a door is situated in an exposed location and subjected to very high winds and driving rain, the SeceuroGlide range does not guarantee against water ingress. As part of the product's testing for the CE or UKCA marking, the product has not been tested against this and as such is classified as NPDP (No Performance Declared).
- Whilst the garage door profiles are primed and coated for the external environment – any doors fitted in coastal environments may be at risk of deterioration due to the weather conditions. Ensure you keep your door clean and follow the instructions for cleaning the door in the operating and maintenance instructions.
- In the event of extreme weather conditions, the vision slats will be susceptible to water ingress and may cause the door to move in extreme gales.

### Colours & Powder Coating

- The printing process does not allow exact reproduction of the paint colours. If you are unsure of your colour choice please ask your supplier for a sample. Colour references quoted are the nearest standard RAL or BS references to the colours used. They will not be an exact match and are intended as a guide only.
- Guide rails are supplied as white or brown as standard.
- Where the curtain is powder coated a unique colour, the guide rails, bottom slats, optional fascias, vision panels and end plates will be powder coated to match FOC. Some unique powdercoated colours may be subject to an additional surcharge.
- Powder coated RAL colour garage doors are finished in a low gloss finish which is similar in gloss level to the pre-coated colours.
- Due to the manufacturing process the guide rails may not be an exact match to the slat colour. The manufacturing process for the slat profile results in a textured finish while all other coloured items (guide rails, bottom slats, end plates, optional fascias and vision panels) are supplied in a smooth finish so we cannot guarantee an exact match.
- When Painted Woodgrains are supplied with a colour matched box, end plates and guides, the following RAL are used: Golden Oak RAL 8003, Irish Oak RAL 1011, Rosewood RAL 8017.
- Foiled Woodgrains (Anthracite, Black/Brown, Golden Oak, Irish Oak, Mahogany, Rosewood and White) are subject to a surcharge.

### Marking

The nature of roller garage doors means marking may appear on the internal side of the slats over time. Change to Occasionally some marking may occur at the top of the concave (coil) side of the curtain over time, particularly on Compact and LT. This is unavoidable and due to prolonged contact with the locking system. On doors which are installed externally this will be visible on the outside.

## Warranties.

SeceuroGlide Excel, SeceuroGlide Original, SeceuroGlide LT, SeceuroGlide Compact and SeceuroGlide Manual are guaranteed against defect of material or workmanship by SWS UK with a parts only warranty for a period of 5 years from the date of purchase, subject to correct installation, maintenance and operation. In addition, foiled woodgrain finishes (including the full range of Renolit wood effect finishes) carry a limited 10 year guarantee on the slat finish. SeceuroGlide Vertico is guaranteed for a period of 2 years from the date of purchase, subject to correct installation, maintenance and operation.



### Register Your Warranty

When purchased together, the following motor/control combinations carry a 7 year warranty, subject to online warranty registration within 3 months of installation (excluding LT):



- SeceuroDrive motor and SeceuroSense Plus control unit
- Somfy motor and Rollixo control unit


You must register your warranty at [www.seceuroglide.co.uk](http://www.seceuroglide.co.uk) to activate your extended product guarantee. It takes just a few moments and gives you easier access to maintenance and operation information, spare parts and warranty claims.

### Regular Servicing

To ensure the longevity and continued good operation of your SeceuroGlide garage door, it is recommended that your door is serviced regularly by a trained engineer.



Low Level External Override



Remote Control Keypad



Vision Slats



Vented Slats

# Customise Your Door...

Ask your approved distributor about SeceuroGlide options and accessories...



## Cornwall Garage Door Centre Ltd

Unit 8, Newham Ind Est,  
Higher Newham Ln, Newham,  
Truro TR1 2ST

**Call 01872 275 997**

[sales@cornwallgaragedoors.co.uk](mailto:sales@cornwallgaragedoors.co.uk)  
[www.cornwallgaragedoors.co.uk](http://www.cornwallgaragedoors.co.uk)

